

**NOTES THIS SHEET**

- 1 REMOVE AND DISPOSE OF EXISTING ELECTRIC WATER HEATER APPROX. 50 GALLONS.
- 2 REMOVE EXISTING COLD WATER PIPE SYSTEM, INSULATION, HANGERS, AND SUPPORTS COMPLETE.
- 3 REMOVE FIXTURE AND ASSOCIATED PIPING AS SHOWN, CAP DRAIN BELOW FLOOR, REMOVE TRAP IF FIXTURE IS A FD.
- 4 REMOVE EXISTING PIPE FROM BELOW FLOOR, AND TO WITHIN 5" OF BUILDING.
- 5 ABANDON EXISTING GAS LINES BELOW FLOOR.
- 6 TEST EXISTING GAS LINE TO REMAIN BEFORE CONNECTING NEW SYSTEM.
- 7 REMOVE ALL EXISTING EYEWASH UNITS, HANGERS, SUPPORTS, AND MOUNTINGS COMPLETE AND TURN OVER TO OWNER.
- 8 REMOVE CONDENSATE PIPE AND CAP AT WALL OR FLOOR AS DOES APPLY.
- 9 CAP/CONDENSATE FOR VENTILATORS BELOW FLOOR REFER TO MECHANICAL DEMOLITION DRAWINGS

**SAW CUT NOTE:**

CONTRACTOR SHALL SAW CUT, REMOVE & PATCH CONCRETE FLOOR AS REQUIRED TO PERFORM WORK INDICATED. PATCH FLOOR TO MATCH ADJACENT EXISTING CONDITIONS. CONTRACTOR SHALL VERIFY PIPE INVERTS PRIOR TO SAW CUTTING.

**NOTE TO CONTRACTOR**

ALL EXISTING PIPE TO REMAIN UNLESS OTHERWISE NOTED. DISPOSE OF ALL PIPE AND FIXTURES REMOVED, UNLESS OTHERWISE NOTED.

**LAB NOTE:**

ALL EXISTING GAS LINE BELOW SLAB TO BE ABANDONED UNLESS REMOVED TO COMPLETE NEW WORK. REMOVE ALL PIPING NOT TO BE REUSED.

**NOTE TO CONTRACTOR:**


INSULATED ETR PIPE IS NOT TO BE DISTURBED, CONTRACTOR SHALL REPAIR AND SEAL ANY INSULATION DAMAGED DURING CONSTRUCTION.

**GLENN CAMPUS PLUMBING DEMOLITION PLAN**  
SCALE: 3/16" = 1'-0"

**ASBESTOS AND LEAD PAINT NOTE**


AN ASBESTOS INSPECTION WAS PERFORMED AND ASBESTOS CONTAINING MATERIALS WERE FOUND GENERALLY IN THE AREAS INDICATED IN THE ASBESTOS SURVEY/INSPECTION REPORT WHICH IS AVAILABLE TO THE CONTRACTOR(S) FOR HIS INFORMATION. ASBESTOS CONTAINING MATERIALS HAVE BEEN REMOVED UNDER A SEPARATE CONTRACT.

A LEAD-BASED PAINT INSPECTION WAS PERFORMED AND LEAD-BASED PAINT WAS FOUND IN THE AREAS INDICATED. THE CONTRACTOR SHALL BE RESPONSIBLE WITH ALL REQUIREMENTS OF THE VIRGINIA OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION REGULATIONS LEAD-BASED PAINT PROTECTION OF WORKERS.



**KEYPLAN**  
NO SCALE

**GRAPHIC SCALES**



Date:	JANUARY 13, 2010
REVISIONS	
NO.	DATE

